

## **ALLERGY RELIEF- diphenhydramine hcl capsule**

**Freds Inc**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

### **Drug Facts**

#### **Active ingredient (in each capsule)**

Diphenhydramine HCl 25 mg

#### **Purpose**

Antihistamine

#### **Uses**

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
  - sneezing
  - itchy, watery eyes
  - runny nose
  - itching of the nose or throat

### **Warnings**

#### **Do not use**

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

#### **Ask a doctor before use if you have**

- glaucoma
- trouble urinating due to an enlarged prostate gland
- a breathing problem such as emphysema or chronic bronchitis

#### **Ask a doctor or pharmacist before use if you are**

taking sedatives or tranquilizers

#### **When using this product**

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

#### **If pregnant or breast-feeding,**

ask a health professional before use.

#### **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- take every 4 to 6 hours
- do not take more than 6 doses in 24 hours
- swallow whole, do not crush, chew, or dissolve

adults and children 12 years of age and over	take 1 to 2 capsules
children 6 to under 12 years of age	take 1 capsule
children under 6 years of age	do not use

**Other information**

- store between 15-30°C (59-86°F)
- protect from light, heat and humidity

**Inactive ingredients**

edible dye free ink, gelatin, glycerin, polyethylene glycol, purified water, sorbitol-sorbitan solution.

**Questions or comments?**

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

**Principal Display Panel**

Compare to the active ingredient in Benadryl® Liqui-Gels®\*

Antihistamine

**Allergy Relief**

Diphenhydramine HCl 25 mg

Allergy Relief

Sneezing, itchy, watery eyes, runny nose, itchy throat

\*This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Benadryl®

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION**

**TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.**

**Product Label**



# ALLERGY RELIEF DYE-FREE • LIQUID-FILLED

Diphenhydramine HCl 25 mg - Antihistamine



NDC 55315-483-24



# ALLERGY RELIEF DYE-FREE • LIQUID-FILLED

Diphenhydramine HCl 25 mg - Antihistamine

Relieves:

## Drug Facts

**Active ingredient (in each capsule)** Diphenhydramine HCl 25 mg.....Antihistamine

**Purpose** Antihistamine

## Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies
- sneezing
- itchy, watery eyes
- runny nose
- itching of the nose or throat

## Warnings

- Do not use
- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

## Ask a doctor before use if you have

- glaucoma
- trouble urinating due to an enlarged prostate gland
- a breathing problem such as emphysema or chronic bronchitis

## Ask a doctor or pharmacist before use if you are taking

## When using this product

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

## Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use.  
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

## Directions

- take every 4 to 6 hours
- do not take more than 6 doses in 24 hours
- swallow whole, do not crush, chew, or dissolve

adults and children 12 years of age and over	take 1 to 2 capsules
children 6 to under 12 years of age	take 1 capsule
children under 6 years of age	do not use

## Other information

- store between 15-30°C (59-86°F)
- protect from light, heat, and humidity

## Inactive ingredients

polyethylene glycol, purified water, sorbitol-sorbitan solution

## Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

\*This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Benadryl®, or Catalent Pharma Solutions, Inc., owner of the registered trademark LIQUI-GELS®.

EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

ARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Nose or Throat

**24 SOFTGELS\*\***

**\*\*EACH LIQUID-FILLED CAPSULE CONTAINS 25 mg**

**Compare To The Active Ingredient In**

## Benadryl® LIQUI-GELS®\*

**TAMPER  
UNIT I**

Lot No.:  
Exp. Date:

**100%** *satisfaction  
guaranteed*

**Questions or comments:  
1-855-331-FRED (3733)**

**DISTRIBUTED BY: fred's, Inc.**  
**4300 NEW GETWELL ROAD,**  
**MEMPHIS, TN 38118**  
**www.fredsinc.com**

PLD-B170B  
FC003070

**Diphenhydramine HCl 25 mg**

## ALLERGY RELIEF

diphenhydramine hcl capsule

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55315-483
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DIPHENHYDRAMINE HYDROCHLORIDE</b> (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

## Inactive Ingredients

Ingredient Name	Strength
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
WATER (UNII: 059QF0KO0R)	
SORBITOL (UNII: 506T60A25R)	
SORBITAN (UNII: 6O92ICV9RU)	

## Product Characteristics

<b>Color</b>	YELLOW (clear)	<b>Score</b>	no score
<b>Shape</b>	CAPSULE	<b>Size</b>	15mm
<b>Flavor</b>		<b>Imprint Code</b>	A33;SCU
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55315-483-24	2 in 1 BOX	12/18/2015	12/30/2021
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part336	12/18/2015	12/30/2021

**Labeler** - Freds Inc (005866116)**Registrant** - P & L Development, LLC (079765031)

Revised: 12/2019

Freds Inc